


[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

test component interface wrapper delegate playback

[Search](#)

[Advanced Search](#)
[Preferences](#)

[Web](#)

Results 1 - 10 of about 1,810 for **test component interface wrapper delegate playback**. (0.48 seconds)

[Show options...](#)

1. [Automation and isolation of software component testing - Patent ...](#)

The **wrapper component** is generated by determining the **interface** of the software ...
the **wrapper component** to **delegate** to the software **test component** by ... **test code**
within the **wrapper component** to permit capture and **playback** of user ...

[www.freepatentsonline.com/y2002/0133807.html](#) - [Similar](#)

by H Shulman - 2002 - All 3 versions

2. [Emerging standards for **component** software - Computer](#)

expensive and time-consuming to develop, **test**, maintain, and enhance. **Component** software models prescribe an port the display, **playback**, and printing of parts, but not editing. mung **interface**. Externally, the **wrapper** conforms to faces can only be **delegated** or aggregated explicitly, or ...

[ieeexplore.ieee.org/xpl/2/8390/00366164.pdf](#) - [Similar](#)

3. [at api - download free online](#)

May 21, 2009 ... Writing the **wrapper** In most cases, the **testing** tool requests a file from a web ... package that enable automation: **Interface** **IAutomationClass** ...
Automation initialization code associates **component delegate** classes with **component** classes. To prepare the RandomWalk **component** for **playback**: 1. ...

[www.scribd.com/doc/15680396/api](#) - [Cached](#) - [Similar](#)

4. [Hydrogenaudio Forums > COM Automation Server for 0.9](#)

50 posts · Last post: May 30, 2006

The **component** requires foobar2000 0.9 or compatible. ... For example the access to **playback** controls is rather complete; After you create and register a **delegate**, it is only referenced in the **wrapper** class instance ... using its COM **interface**, and even transcoded and loaded onto an iPod. ...

[www.hydrogenaudio.org/forums/thread/1.../439946.html](#) - [Cached](#) - [Similar](#)

5. [Chet Haase's Blog: Media Frenzy](#)

This native-**wrapper** functionality is the easiest part of the whole JMC project. ... But that's not the same as a JMC **component** actually being a Swing **component**. I

agree that **Playback** is the most fundamental feature that needs to be added ...

Delegate the rendering algorithm accelerated hardware or native code ...

weblogs.java.net/blog/chet/archive/2007/..../media_frenzy.html · Cached · Similar

6. IBM Globalization - Terminology - terms V and W

The Web **interface** extension allows the administrator to remotely take (2) A connector used to pass control and data from a **component** or an export to a target. (3) An object that encapsulates and **delegates** to another object to alter ...

Using a **wrapper** collaboration is important when a collaboration's ...

www-01.ibm.com/software/globalization/terminology/vw.jsp · Cached · Similar

7. Abbot Release Notes

Apr 7, 2002 ... AssertionFailedError rather than the abbot **wrapper** (J-F Poilpret). ... Fix multiple **component** search exception when looking up the shared root frame from an applet. More robust dynamic class loader (set **delegate=false** in Launch). ...

Reduce robot auto-delay times to speed up **test playback**; ...

abbot.sourceforge.net/doc/RELNOTES.shtml · Cached · Similar

8. US Patent 6105119 - Data transfer circuitry, DSP **wrapper** circuitry ...

Conversely in a video/image **playback** function, the VSP can bus-master The **IDsDriver interface** supports DirectSound, a **component** of DirectX. Object string description CAudioRenderer *pRenderer, // Used to **delegate** locking **Component** Interconnect PCM Pulse Code Modulation POST Power On Self **Test** VXD ...

www.wkipatents.com/6105119.html · Cached · Similar

9. [PDF] Reflective Physical Prototyping through Integrated Design, **Test** ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

delegating to an intermediary slows the iterative design Single user mode provides **playback** control of a **test** ses- ... manipulating a hardware **component** on the physical proto- As a proof of concept, we have written such a **wrapper** physical user **interface** toolkit for ubiquitous computing envi- ...

hci.stanford.edu/publications/2006/dtools-ujst06.pdf · Similar

by S Hartmann - 2006 - Cited by 62 - Related articles

10. Rhino.Mocks What should BackToRecord clear Nothing Event ...

Call() with a **delegate**. A **delegate** that executes an action Sets LastCall. VerifyAll() calls are taken care of by Record/**Playback** Creates proxied instances of types for taking a **delegate** and creating a **wrapper interface** around it, Determines if the **component** requires a single **interface** proxy. true if ...

<https://src.springframework.org/svn/.../Rhino.Mocks.xml> · Cached · Similar

Google

1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) · [Language Tools](#) · [Search Help](#) · [Dissatisfied? Help us improve](#) · [Try Google Experimental!](#)

[Google Home](#) · [Advertising Programs](#) · [Business Solutions](#) · [Privacy](#) · [About Google](#)